

HOME CARE

AFTER CARE INSTRUCTIONS

Please note: 50% of treatment success depends on the following care instructions. Your participation is not only desirable, but absolutely necessary! In case of non-compliance can occur inflammation, scars and blemishes.

FIRST 3 DAYS: ICE 2 TIMES A DAY (20 minutes in each area) AND "BEPANTOL LOTION" 3 TIMES A DAY

*AFTER THE 3rd DAY: STOP THE PROCESS OF ICE, AND MAINTAIN THE
"AQUAPHOR LOTION" FOR OVER 10 DAYS

IN THE FIRST 7 DAYS AVOID PHYSICAL EXERCISES

IN THE FIRST 50 DAYS THE PIGMENTED REGION WILL BECOME DARKER

•FORBIDDEN TO SUNBATHE FOR 40 DAYS

•IN THE FIRST 30 DAYS DO NOT USE SUNSCREEN, SUNBLOCK, SELF-TANNING
OR ANY SUBSTANCE THAT CONTAINS VITAMIN D OR THAT STIMULATE THE
PRODUCTION OF VITAMIN D, OR ANY SUBSTANCE WITH PHOTOSENSITIZING
AGENTS

•DURING THE HEALING PROCESS SHOULD NOT PERFORM AESTHETIC PROCEDURES IN THE CAMOUFLAGED AREA